

Publications 1996-1998

At the end of each reference the citations at December 31st, 2001 are given in brackets {}. They are reported according to the ISI site (<http://wos.isitrial.com>). The citations refer to the articles cited at least once in the years 1990-2001

1. Aono, S., I. Bertini, J.A. Cowan, C. Luchinat, A. Rosato, M.S. Viezzoli.
1H NMR studies of the Fe7S8 ferredoxin from *Bacillus schlegelii*: a further attempt to understand Fe3S4 clusters. *JBIC* 1: 523-528, 1996. {19}
2. Aono, S., D. Bentrop, I. Bertini, A. Donaire, C. Luchinat, Y. Niikura, A. Rosato. Solution structure of the oxidized Fe7S8 ferredoxin from the thermophilic bacterium *Bacillus schlegelii* by 1H NMR spectroscopy. *Biochemistry* 37: 9812-9826, 1998. {18}
3. Aono, S., D. Bentrop, I. Bertini, G. Cosenza, C. Luchinat. Solution structure of an artificial Fe8S8 ferredoxin: the D13C variant of *Bacillus schlegelii* Fe7S8 ferredoxin. *Eur.J.Biochem.* 258: 502-514, 1998. {5}
4. Aono, S., D. Bentrop, I. Bertini, C. Luchinat, R. Macinai. The D13C variant of *Bacillus schlegelii* 7Fe ferredoxin is an 8 Fe ferredoxin as revealed by 1H-NMR spectroscopy. *FEBS Lett.* 412: 501-505, 1997. {9}
5. Archer, M., L. Banci, E. Dikaya, M.J. Romao. Crystal structure of cytochrome c' from *Rhodocyclus gelatinosus* and comparison with other cytochromes c'. *JBIC* 2: 611-622, 1997. { }
6. Arnesano, F., L. Banci, I. Bertini, D. Koulougliotis. Solution structure of oxidized rat microsomal cytochrome b5 in the presence of 2 M guanidinium chloride: Monitoring the early steps in protein unfolding. *Biochemistry* 37: 17082-17092, 1998. {8}
7. Arnesano, F., L. Banci, I. Bertini, I.C. Felli. The solution structure of oxidized rat microsomal cytochrome b5. *Biochemistry* 37: 173-184, 1998. {41}
8. Assfalg, M., L. Banci, I. Bertini, M. Bruschi, P. Turano. 800 MHz 1H NMR solution structure refinement of oxidized cytochrome c7 from *Desulfuromonas acetoxidans*. *Eur.J.Biochem.* 256: 261-270, 1998. {15}
9. Babini, E., I. Bertini, M. Borsari, F. Capozzi, A. Dikiy, L.D. Eltis, C. Luchinat. A Serine -> Cysteine Ligand Mutation in the High Potential Iron-Sulfur Protein from *Chromatium vinosum* Provides Insight into the Electronic Structure of the [4Fe-4S] Cluster. *J.Am.Chem.Soc.* 118: 75-80, 1996. {44}

10. Baistrocchi, P., L. Banci, I. Bertini, P. Turano, K.L. Bren, H.B. Gray.
Three-dimensional solution structure of *Saccharomyces cerevisiae* reduced iso-1-cytochrome c. *Biochemistry* 35: 13788-13796, 1996. {38}
11. Banci, L., G. Gori Savellini, P. Turano. A molecular dynamics study in explicit water of the reduced and oxidized forms of yeast iso-1-cytochrome c. Solvation and dynamic properties of the two oxidation states. *Eur.J.Biochem.* 249: 716-723, 1997. {
12. Banci, L., I. Bertini, M. Bruschi, P. Sompornpisut, P. Turano. A NMR characterization and solution structure determination of the oxidized cytochrome c7 from *Desulfuromonas acetoxidans*. *Proc.Natl.Acad.Sci.USA* 93: 14396-14400, 1996. {23}
13. Banci, L., I. Bertini, C. Luchinat, R. Pierattelli, N.V. Shokhirev, F.A. Walker. Analysis of the temperature dependence of the ¹H and ¹³C isotropic shifts of horse heart ferricytochrome c: explanation of Curie and anti-Curie temperature dependence and nonlinear pseudocontact shifts in a two-level framework. *J.Am.Chem.Soc.* 120: 8472-8479, 1998. {18}
14. Banci, L., M. Benedetto, I. Bertini, R. Del Conte, M. Piccioli, T. Richert, M.S. Viezzoli. Assignment of backbone NMR resonances and secondary structural elements of a reduced monomeric mutant of copper/zinc superoxide dismutase. *Magn.Reson.Chem.* 35: 845-853, 1997. {3}
15. Banci, L., A. Rosato, P. Turano. Can the axial ligand strength be monitored through spectroscopic measurements? *JBIC* 1: 364-367, 1996. {
16. Banci, L. and Piccioli, M. In: *Encyclopedia of Magnetic Resonance*, edited by Grant, D.M. and Harris, R.K. *Encycl. of Nuclear Magn. Reson.*, 1996,
17. Banci, L., I.C. Felli, D. Koulougliotis. Identification of slow motions in the reduced recombinant high-potential iron sulfur protein I (HiPIP I) from *Ectothiorhodospira halophila* via ¹⁵N rotating-frame NMR relaxation measurements. *J.Biomol.NMR* 12: 307-318, 1998. {
18. Banci, L., I. Bertini, G. Gori Savellini, C. Luchinat. Individual Reduction Potentials of the Iron-Ions in Fe₂S₂ and high potential Fe₄S₄ ferredoxins. *Inorg.Chem.* 35: 4248-4253, 1996. {22}
19. Banci, L., P. Carloni, A. Diaz, G. Gori Savellini. Molecular dynamics calculations on peroxidases: the effect of calcium ions on protein structure. *JBIC* 1: 264-272, 1996. {
20. Banci, L. and Gori Savellini, G. In: *Molecular Modeling and Dynamics of Bioinorganic Systems*, edited by Banci, L. and Comba, P. Dordrecht, The Netherlands: Kluwer academic publishers, 1997,

21. Banci, L., I. Bertini, L. Dal Pozzo, R. Del Conte, M. Tien. Monitoring the role of oxalate in manganese peroxidase. *Biochemistry* 37: 9009-9015, 1998. {3}
22. Banci, L., I. Bertini, T. Reddig, P. Turano. Monitoring the conformational flexibility of cytochrome c at low ionic strength by ¹H NMR spectroscopy. *Eur.J.Biochem.* 256: 271-278, 1998. {2}
23. Banci, L., I. Bertini, J.G. Huber, C. Luchinat, A. Rosato. Partial orientation of oxidized and reduced cytochrome b5 at high magnetic fields: Magnetic susceptibility anisotropy contributions and consequences for protein solution structure determination. *J.Am.Chem.Soc.* 120: 12903-12909, 1998. {28}
24. Banci, L., I. Bertini, C. Cavazza, I.C. Felli, D. Koulougliotis. Probing the backbone dynamics of oxidized and reduced rat microsomal cytochrome b5 via ¹⁵N rotating frame NMR relaxation measurements: biological implications. *Biochemistry* 37: 12320-12330, 1998. {20}
25. Banci, L., I. Bertini, M.A. Cremonini, G. Gori Savellini, C. Luchinat, K. Wüthrich, P. Güntert. PSEUDODYANA for NMR structure calculation of paramagnetic metalloproteins using torsion angle molecular dynamics. *J.Biomol.NMR* 12: 553-557, 1998. {26}
26. Banci, L., C. Luchinat. Selective versus non-selective T1 experiments to determine metal-nucleus distances in paramagnetic proteins. *Inorg.Chim.Acta* 373-379, 1998. { }
27. Banci, L., I. Bertini, K.L. Bren, H.B. Gray, P. Sompornpisut, P. Turano. Solution structure of oxidized *Saccharomyces cerevisiae* Iso-1-cytochrome c. *Biochemistry* 36: 8992-9001, 1997. {58}
28. Banci, L., I. Bertini, H.B. Gray, C. Luchinat, T. Reddig, A. Rosato, P. Turano. Solution structure of oxidized horse heart cytochrome c. *Biochemistry* 36: 9867-9877, 1997. {84}
29. Banci, L., I. Bertini, F. Ferroni, A. Rosato. Solution structure of reduced microsomal cytochrome b5. *Eur.J.Biochem.* 249: 270-279, 1997. {27}
30. Banci, L., M. Benedetto, I. Bertini, R. Del Conte, M. Piccioli, M.S. Viezzoli. Solution structure of reduced monomeric Q133M2 Copper, Zinc Superoxide Dismutase. Why is SOD a dimeric enzyme? *Biochemistry* 37: 11780-11791, 1998. {17}
31. Banci, L. Structural properties of peroxidases. *J.Biotechnol.* 53: 253-263, 1997. { }
32. Banci, L., I. Bertini, G.A. Spyroulias, P. Turano. The conformational flexibility of oxidized cytochrome c studied through its interaction with NH₃ and at high temperature. *Eur.J.Inorg.Chem.* 1: 583-591, 1998. {9}

33. Banci, L., I. Bertini, G. Gori Savellini, A. Romagnoli, P. Turano, M.A. Cremonini, C. Luchinat, H.B. Gray. The pseudocontact shifts as constraints for energy minimization and molecular dynamic calculations on solution structures of paramagnetic metalloproteins. *Proteins Struct.Funct.Genet.* 29: 68-76, 1997. {46}
34. Banci, L., I. Bertini, G. Quacquarelli, O. Walter, A. Diaz, M. Hervás, M.A. De la Rosa. The Solution structure of cytochrome c6 from the green alga *Monoraphidium braunii*. *JBIC* 1: 330-340, 1996. {21}
35. Banci, L., I. Bertini, M.A. De la Rosa, D. Koulougliotis, J.A. Navarro, O. Walter. The solution structure of oxidized cytochrome c6 from the green alga *Monoraphidium braunii*. *Biochemistry* 37: 4831-4843, 1998. {19}
36. Banci, L., Bertini, I., Turano, P. and Luchinat, C. In: *Biological electron transfer chains: genetics and mode of operation*, edited by Canters, G.W. and Vijgenboom, E. Kluwer Academic Publishers, 1998,
37. Banci, L., I. Bertini, K.L. Bren, M.A. Cremonini, H.B. Gray, C. Luchinat, P. Turano. The use of pseudocontact shifts to refine solution structures of paramagnetic metalloproteins: Met80Ala cyano-cytochrome c as an example. *JBIC* 1: 117-126, 1996. {64}
38. Banci, L., I. Bertini, M.S. Viezzoli, E. Argese, E. Orsega, Choi Ying Chiu, G.T. Mullenbach. Tuning the activity of Cu,Zn superoxide dismutase through site directed mutagenesis: a relatively active monomeric species. *JBIC* 2: 295-301, 1997. {6}
39. Banci, L., S. Berners-Price, I. Bertini, V. Clementi, C. Luchinat, G.A. Spyroulias, P. Turano. Water-protein interaction in native and partially unfolded equine cytochrome c. (Dedicated to Prof. R. Ernst). *Mol.Phys.* 95: 797-808, 1998. {8}
40. Belinskii, M.I., I. Bertini, O. Galas, C. Luchinat. An exchange coupling model for Fe₄S₄³⁺ polymetallic center present in proteins and model compounds. Dedicated to Prof. H.B. Gray. *Inorg.Chim.Acta* 243: 91-99, 1996. {13}
41. Bentrop, D., I. Bertini, C. Luchinat, W. Nitschke, U. Mühlhoff. Characterization of the unbound 2[Fe₄S₄]-ferredoxin-like photosystem I subunit PsaC from the cyanobacterium *Synechococcus elongatus*. *Biochemistry* 36: 13629-13637, 1997. {10}
42. Bentrop, D., I. Bertini, C. Luchinat, J. Mendes, M. Piccioli, M. Teixeira. Paramagnetic NMR of the 7Fe ferredoxin from the hyperthermoacidophilic archaeon *Desulfurolobus ambivalens* reveals structural similarity to other dicluster

ferredoxins. *Eur.J.Biochem.* 236: 92-99, 1996. {14}

43. Bentrop, D., I. Bertini, M.A. Cremonini, S. Forsén, C. Luchinat, A. Malmendal. The solution structure of the paramagnetic complex of the N-terminal domain of calmodulin with two Ce³⁺ ions by ¹H NMR. *Biochemistry* 36: 11605-11618, 1997. {31}

44. Bentrop, D., I. Bertini, F. Capozzi, A. Dikiy, L.D. Eltis, C. Luchinat. Three dimensional structure of the reduced C77S mutant of the Chromatium vinosum high potential iron-sulfur protein through NMR. Comparison with the solution structure of the wild-type protein. *Biochemistry* 35: 5928-5936, 1996. {26}

45. Bertini, I., A. Donaire, I.C. Felli, C. Luchinat, A. Rosato. ¹H and ¹³C NMR studies on an oxidized HiPIP. *Inorg.Chem.* 36: 4798-4803, 1997. {13}

46. Bertini, I., A. Dikiy, C. Luchinat, R. Macinai, M.S. Viezzoli. ¹H NMR study of the reduced cytochrome c' from Rhodopseudomonas palustris containing a high spin iron(II) heme moiety. *Inorg.Chem.* 37: 4814-4821, 1998. {5}

47. Bertini, I., C. Luchinat, G. Mincione, A. Soriano. ²H NMR Investigation of [Fe₃S₄]⁰ cluster in 7Fe₈S ferredoxin from Bacillus schlegelii. *Inorg.Chem.* 969-972, 1998. {5}

48. Bertini, I., I.C. Felli, C. Luchinat, A. Rosato. A Complete Relaxation Matrix Refinement of the Solution Structure of a Paramagnetic Metalloprotein: Reduced HiPIP I from E. halophila. *Proteins Struct.Funct.Genet.* 24: 158-164, 1996. {24}

49. Bertini, I. In: Encyclopedia of Magnetic Resonance, edited by Grant, D.M. and Harris, R.K. Chicester: John Wiley & Sons, Ltd, 1996,

50. Bertini, I., A. Dikiy, C. Luchinat, R. Macinai, M.S. Viezzoli, M. Vincenzini. An NMR study of the 7Fe-8S ferredoxin from Rhodopseudomonas palustris and reinterpretation of data on similar systems. *Biochemistry* 36: 3570-3579, 1997. {21}

51. Bertini, I., G. Gori Savellini, C. Luchinat. Are unit charges always negligible? *JBIC* 2: 114-118, 1997. {26}

52. Bertini, I., M.A. Cremonini, S. Ferretti, I. Lozzi, C. Luchinat, M.S. Viezzoli. Arene hydroxylases: metalloenzymes catalyzing dioxygenation of aromatic compounds. *Coord.Chem.Rev.* 151: 145-160, 1996. {6}

53. Bertini, I., J.A. Cowan, C. Luchinat, K. Natarajan, M. Piccioli. Characterization of a partially unfolded high potential iron protein relevant to the folding pathway and cluster stability. *Biochemistry* 36: 9332-9339, 1997. {25}

54. Bertini, I., F. Briganti, C. Luchinat, A. Scozzafava. Dioxygen activation in biodegradation reactions. *New J.Chem.* 20: 187-193, 1996. {11}

55. Bertini, I. and Luchinat, C. In: Transition metal sulfur chemistry: biological and industrial significance, edited by Stiefel, E.I. and Matsumoto, K. Washington DC: ACS Symposium Series N. 653, 1996,
56. Bertini, I., C. Dalvit, J.G. Huber, C. Luchinat, M. Piccioli. ePHOGSY experiment on a paramagnetic protein: location of the catalytic water molecule in the heme crevice of the oxidized form of horse heart Cytochrome c. FEBS Lett. 415: 45-48, 1997. {8}
57. Bertini, I., C. Luchinat, A. Rosato. Evaluation of paramagnetic relaxation rates in a J-coupled two-spin system. Chem.Phys.Lett. 250: 495-504, 1996. {4}
58. Bertini, I., C. Luchinat. Experimental data and calculated parameters in FeS polymetallic centers in proteins. JBIC 1: 183-185, 1996. {9}
59. Bertini, I., C. Luchinat, M. Piccioli, A. Soriano. Folding properties of iron sulfur proteins. (Dedicated to Prof. O. Yamauchi). Inorg.Chim.Acta 283: 12-16, 1998. {3}
60. Bertini, I., A. Donaire, I.C. Felli, C. Luchinat, A. Rosato. From NOESY Cross-Peaks to Structural Constraints in a Paramagnetic Metalloprotein. Magn.Reson.Chem. 34: 948-950, 1996. {9}
61. Bertini, I., I.C. Felli, C. Luchinat. High magnetic field consequences on the NMR hyperfine shifts in solution. J.Magn.Reson. 134: 360-364, 1998. {5}
62. Bertini, I. and Luchinat, C. In: Encyclopedia of Magnetic Resonance, edited by Grant, D.M. and Harris, R.K. Chicester: John Wiley & Sons, Ltd, 1996,
63. Bertini, I., C. Luchinat, R. Macinai, S. Martinuzzi, R. Pierattelli, M.S. Viezzoli. Isolation and characterization of a cytochrome c2 from Rhodopseudomonas palustris. Dedicated to Prof. W.Beck. Inorg.Chim.Acta 269: 125-134, 1998. {5}
64. Bertini, I., Luchinat, C. and Soriano, A. In: Spectroscopic methods in bioinorganic chemistry, edited by Solomon, E.I. and Hodgson, K.O. ACS publications, 1998,
65. NMR of paramagnetic substances, Ed. Lever, A. B. P. Amsterdam; Coord.Chem.Rev. 150, Elsevier, 1996.
66. Bertini, I. and Luchinat, C. In: Nuclear Magnetic Resonance, edited by Gorenstein, D. 1998,
67. Bertini, I., C. Luchinat, G. Mincione, G. Parigi, G.T. Gassner, D.P. Ballou. NMR studies on Phtalate Dioxygenase: evidence for displacement of water on binding substrate. JBIC 1: 468-475, 1996. {8}
68. Bertini, I., O. Galas, C. Luchinat, G. Parigi, G. Spina. Nuclear and

electron relaxation in magnetic exchange coupled dimers. J.Magn.Reson. 130: 33-44, 1998. {3}

69. Bertini, I., M. Piccioli. Nuclear Magnetic Dipole Interactions in field oriented proteins: information for Structure Determination in solution. Chem.Tracts 11: 918-922, 1998. {0}

70. Bertini, I., C. Luchinat, G. Parigi, G. Quacquarelli, P. Marzola, F.M. Cavagna. Off-resonance experiments and contrast agents to improve magnetic resonance imaging. Magn.Res.Med. 39: 124-131, 1998. {10}

71. Bertini, I., A. Donaire, C. Luchinat, A. Rosato. Paramagnetic relaxation as a tool for solution structure determination: Clostridium pasterianum ferredoxin as an example. Proteins Struct.Funct.Genet. 29: 348-358, 1997. {25}

72. Bertini, I., D.M. Kurtz, Jr., M.K. Eidsness, G. Liu, C. Luchinat, A. Rosato, R.A. Scott. Solution structure of reduced Clostridium pasterianum rubredoxin. JBIC 3: 401-410, 1998. {12}

73. Bertini, I. and Rosato, A. In: Molecular Modeling and Dynamics of Bioinorganic Systems, edited by Banci, L. and Comba, P. Dordrecht: Kluwer Academic Publishers, 1997,

74. Bertini, I., A.G. Coutsolelos, A. Dikiy, C. Luchinat, G.A. Spyroulias, A. Troganis. Structural Yb³⁺ and Dy³⁺ porphyrin double decker complexes. What can be obtained from ¹H NMR spectroscopy in solution through ¹H NMR. Inorg.Chem. 35: 6308-6315, 1996. {4}

75. Bertini, I., Mangani, S. and Viezzoli, M.S. In: Advanced Inorganic Chemistry, edited by Sykes, A.G. San Diego, CA, USA: Academic Press, 1998,

76. Bertini, I., K.L. Bren, A. Clemente, J.A. Fee, H.B. Gray, C. Luchinat, B.G. Malmström, J.H. Richards, D. Sanders, C.E. Slutter. The Cua center of a soluble domain from thermus cytochrome ba₃: an NMR investigation of the paramagnetic protein. J.Am.Chem.Soc. 46: 11658-11659, 1996. {31}

77. Bertini, I., M. Borsari, M. Bosi, L.D. Eltis, I.C. Felli, C. Luchinat, M. Piccioli. The influence of a surface charge on the electronic and steric structure of a high potential iron sulfur protein. JBIC 1: 257-263, 1996. {11}

78. Bertini, I., M.M.J. Couture, A. Donaire, L.D. Eltis, I.C. Felli, C. Luchinat, M. Piccioli, A. Rosato. The solution structure refinement of the paramagnetic reduced HiPIP I from Ectothiorhodospira halophila by using stable isotope labeling and nuclear relaxation. Eur.J.Biochem. 241: 440-452, 1996. {30}

79. Bertini, I., C. Luchinat, A. Rosato. The solution structure of paramagnetic metalloproteins. Progr.Biophys.Mol.Biol. 66: 43-80, 1996. {35}

80. Briganti, F., R. Pierattelli, A. Scozzafava, C.T. Supuran. Carbonic anhydrase inhibitors. Part 37#. Novel classes of isozymes I and II inhibitors and their mechanism of action. Kinetic and spectroscopic investigations on the native and cobalt-substituted enzymes. *Eur.J.Med.Chem.* 31: 1001-1010, 1996. {

81. Bujons, J., A. Dikiy, J.C. Ferrer, L. Banci, A.G. Mauk. Charge reversal of a critical active-site residue in cytochrome c peroxidase. Characterization of the Arg48-->Glu variant. *Eur.J.Biochem.* 243: 72-84, 1997. {

82. Ciofi-Baffoni, S., L. Banci, A. Brandi. Synthesis of oligomeric mimics of lignin. *J.Chem.Soc., Perkin Trans.1* 3207-3217, 1998. {

83. Felli, I.C., H. Desvaux, G. Bodenhausen. Local mobility of ¹⁵N labeled biomolecules characterized through cross-correlation rates: applications to paramagnetic proteins. *J.Biomol.NMR* 12: 509-521, 1998. {

84. Im, S.-C., G. Liu, C. Luchinat, A.G. Sykes, I. Bertini. The solution structure of parsley [2Fe-2S] ferredoxin. *Eur.J.Biochem.* 258: 465-477, 1998. {6}

85. Kroes, S.J., J. Salgado, G. Parigi, C. Luchinat, G.W. Canters. Electron relaxation and solvent accessibility of the metal site in wild-type and mutated azurins as determined from nuclear magnetic relaxation dispersion experiments. *JBIC* 1: 551-559, 1996. {

86. Luchinat, C., A. Soriano, K. Djinovic-Carugo, M. Saraste, B.G. Malmström, I. Bertini. Electronic and geometric structure of the CuA site studied by ¹H NMR in a soluble domain of cytochrome c oxidase from *paracoccus denitrificans*. *J.Am.Chem.Soc.* 119: 11023-11027, 1997. {18}

87. Merz, K.M.Jr., L. Banci. Binding of bicarbonate to human carbonic anhydrase II: a continuum of binding states. *J.Am.Chem.Soc.* 119: 863-871, 1997. {

88. Murthy, N.N., K.D. Karlin, I. Bertini, C. Luchinat. NMR and electronic relaxation in paramagnetic Dicopper(II) compounds. *J.Am.Chem.Soc.* 119: 2156-2162, 1997. {20}

89. Piccioli, M. The application of Selective-Excitation pulse sequences in NMR spectroscopy of paramagnetic proteins. *J.Magn.Reson.Ser.B* 110: 202-204, 1996. {

90. Pierattelli, R., D.L. Turner. Analysis of the paramagnetic shifts of haem carbon resonances in bovine ferricytochrome b5. *Eur.Biophys.J.* 24: 342-347, 1996. {

91. Pierattelli, R., L. Banci, D.L. Turner. Indirect determination of magnetic susceptibility tensors in peroxidases: a novel approach to structure elucidation by NMR. *JBIC* 1: 320-329, 1996. {
92. Renault, J.P., C. Verchere-Beaur, I. Morgenstern-Badarau, M. Piccioli. Paramagnetic NMR spectroscopy of native and cobalt substituted Manganese Superoxide Dismutase from *Escherichia coli*. *FEBS Lett.* 401: 15-19, 1997. {
93. Scholl, H.-J., J. Huettermann, M.S. Viezzoli. Proton ENDOR spectroscopy of cyanide-inhibited copper-zinc superoxide dismutase in randomly oriented samples. *Inorg.Chim.Acta* 273: 131-141, 1998. {
94. Yi, L., J.A. Roe, C.J. Bender, J. Peisach, L. Banci, I. Bertini, E.B. Gralla, J.S. Valentine. New type 2 copper-cysteinate proteins. Copper site histidine-to-cysteine mutants of yeast copper-zinc SOD. *Inorg.Chem.* 35: 1692-1700, 1996. {12}