

- 141) L. SACCONI, M. DI VAIRA, A. BIANCHI. Unusual Coordination in a Cobalt(II) Complex with the Tripod Ligand Tris-2-diphenylphosphinoethyl)amine. J. Am. Chem. Soc., 92, 4465 (1970).
- 142) R. MORASSI and L. SACCONI. Spin-State Equilibrium in a Five-Coordinate Complex of Cobalt(II) Thiocyanate with an NNP Tridentate Ligand. J. Am. Chem. Soc., 5241 (1970).
- 143) F. MANI and L. SACCONI. Five-Coordinate Chromium(II) Complexes with Nitrogen-Phosphorus Tetradentate Ligands. Inorg. Chim. Acta, 4, 365 (1970).
- 144) R. MORASSI and L. SACCONI. Five-Co-ordination with 'Hybrid' Ligands. Part. VI. Cobalt(II) and Nickel(II) Complexes with a Quadridentate Tripod Ligand having a NOPP Donor Set. J. Chem. Soc., A, 492 (1971).
- 145) M. DI VAIRA, P. L. ORIOLI and L. SACCONI. Crystal and Molecular Structure of the Nickel(II) Complex with the Pentadentate Ligand Bis(salicylidene- β -iminopropyl)methylamine. Inorg. Chem., 10, 553 (1971).
- 146) R. MORASSI and L. SACCONI. Five-Co-ordination with 'Hybrid' Ligands. Part VII. Cobalt(II) and Nickel(II) Complexes with Asymmetric Tripod Ligands having N_2OP , N_2SP , and $NOAs_2$ Donor Sets. J. Chem. Soc., A, 1487 (1971).
- 147) P. DAPPORTO and L. SACCONI. Crystal Structure of Di-iodo [ethylenebis(oxyethylene)]bis(diphenylphosphine)nickel(II). J. Chem. Soc., A, 1914 (1971).
- 148) I. BERTINI, M. CIAMPOLINI and L. SACCONI. Polarized Spectra of the Trigonal Bipyramidal $CoNP_3Br$ Chromophore. J. Coord. Chem., 1, 73 (1971).

- 149) C. MEALLI, P. L. ORIOLI, L. SACCONI. Crystal and Molecular Structure of Di-iodotris(2-diphenylphosphinoethyl)amine-cobalt(II). J. Chem. Soc., A, 2691 (1971)
- 150) I. BERTINI, P. DAPPORTO, G. FALLANI, L. SACCONI. A Nuclear Magnetic Resonance Study on the Interconversion of the Complexes $Ni(N_3P)X B(C_6H_5)_4$ and the Crystal Structure of the Complex $Ni(N_3P)Br B(C_6H_5)_4$. Inorg. Chem., 10, 1703 (1971)
- 151) M. BACCI, R. MORASSI, L. SACCONI. Binuclear Mixed-metal Complexes formed by Nickel(II) and other 3d Bivalent Ions with Tripod Ligands. J. Chem. Soc., A, 3686 (1971)
- 152) L. SACCONI, A. DEI. Five-Coordination with "Hybrid" Ligands. Part VIII. Cobalt(II) and Nickel(II) Complexes with an Open-Chain Tetradentate Nitrogen-Phosphorus Ligand. J. Coord. Chem., 1, 229 (1971)
- 153) L. SACCONI. Conformational and Spin State Interconversions in Transition Metal Complexes. Pure Appl. Chem., 27, 161 (1971)
- 154) P. DAPPORTO, G. FALLANI, L. SACCONI. Crystal Structure of the High-Spin Five-Coordinate Complex Chloro [N,N-Bis(2-Diphenylphosphineethyl)-2-Methoxyethylamine] Cobalt(II) Hexafluorophosphate. J. Coord. Chem., 1, 269 (1971)
- 155) L. SACCONI, S. MIDOLLINI. Halogeno-complexes of Cobalt(I) and Nickel(I) with 1,1,1-tris(diphenylphosphinomethyl)ethane. J. Chem. Soc., (Dalton), 1213 (1972)
- 156) I. BERTINI, L. SACCONI, G. P. SPERONI. Synthesis, Characterization and Proton Magnetic Resonance Spectra of Nickel(II) and Cobalt(II) Complexes with o-Mercaptobenzaldiminates. Inorg. Chem., 11, 1323 (1972)

- 157) A. BIANCHI, C. A. GHILARDI, C. MEALLI, L. SACCONI. Crystal Structures of Two Five-co-ordinated Cobalt(II) and Nickel(II) Complexes having the MN_2P_2Br Chromophore ($M = Co^{II}$ or Ni^{II}). Chem. Comm., 651 (1972)
- 158) L. SACCONI, D. GATTESCHI. Nickel(II) Complexes with an Open-Chain Tetradentate Nitrogen-Arsenic Ligand. J. Coord. Chem., 2, 107 (1972)
- 159) P. DAPPORTO, G. FALLANI, S. MIDOLLINI, L. SACCONI. Crystal and Molecular Structure of Iodo [1,1,1-tris(diphenylphosphinomethyl)ethane]nickel(I). Chem. Comm., 1161 (1972)
- 160) L. SACCONI. The influence of Geometry and Donor-Atom set on the Spin State of Five-coordinate Cobalt(II) and Nickel(II) complexes. Coord. Chem. Rev., 8, 351 (1972)
- 161) L. SACCONI, J. J. VAN DER ZEE, K. G. SHIELDS, C. H. L. KENNARD. Diiodo N,N-Bis(2-Diphenylarsinoethyl)2-Methoxyethylamino Nickel(II) $C_{31}H_{35}As_2I_2NNiO$. Cryst. Struct. Comm., 2, 229 (1973)
- 162) A. BIANCHI, P. DAPPORTO, G. FALLANI, C. A. GHILARDI, L. SACCONI. X-Ray Structural Evidence for the Influence of Geometrical Distortion on the Spin-State of Five-co-ordinate Cobalt(II) and Nickel(II) Complexes. J. Chem. Soc., (Dalton), 641 (1973)
- 163) D. GATTESCHI, C. MEALLI, L. SACCONI. A Binuclear Complex of 1.5 Valent Nickel. J. Am. Chem. Soc., 95, 2736 (1973)
- 164) P. DAPPORTO, G. FALLANI, S. MIDOLLINI, L. SACCONI. Preparation, Properties and Structure of a Diamagnetic Dimeric Diiron Compound with Three Bridge Hydrogen Bond. J. Am. Chem. Soc., 95, 2021 (1973)
- 165) A. BIANCHI ORLANDINI, C. CALABRESI, C. A. GHILARDI, P. L. ORIOLI, L. SACCONI. X-Ray Investigations on Spin State Equilibria. Crystal and Molecular Structure of Two Five-Co-ordinate cobalt(II) Complexes with an N_4P Donor Set. J. Chem. Soc., (Dalton), 1383 (1973)

- 166) R. MORASSI, F. MANI, L. SACCONI. Spin Isomerism in Five-Coordinate Cobalt(II) Complexes of the Terdentate Ligands N-R-N-2-(diphenylphosphino)ethyl-N',N'-diethylethylene-diamine (Donor Set NNP). Inorg. Chem., 12, 1246 (1973)
- 167) M. BACCI, S. MIDOLLINI, P. STOPPIONI, L. SACCONI. Iron(II), Cobalt(II), and Nickel(II) Complexes with the Open-Chain, Tetradentate Ligand Hexaphenyl-1,4,7,10-tetraphosphadecane. Singlet Ground-State in Five-Coordinated Iron(II) Complexes. Inorg. Chem., 12, 1801 (1973)
- 168) C. MEALLI, L. SACCONI. Trigonal Pyramidal Four-co-ordinated Ni^O Complex. Chem. Comm., 886 (1973)
- 169) R. MORASSI, I. BERTINI, L. SACCONI. Five-coordination in Iron(II) Cobalt(II) and Nickel(II) complexes. Coord. Chem. Rev., 11, 343 (1973)
- 170) I. BERTINI, L. SACCONI. Proton Magnetic Resonance Spectra of Paramagnetic Molecules. J. Molecular Struct., 19, 371 (1973)
- 171) P. DAPPORTO, L. SACCONI. Synthesis and Structural Characterization of an Unexpected σ -Phenyl-Nickel(II) Complex. Inorg. Chim. Acta, 9, L2 (1974)
- 172) L. SACCONI, J. R. FERRARO. Pressure-Temperature Relationships of the Spin-State Equilibrium in a Five-Coordinate Complex of Cobalt(II) Thiocyanate with an nnp Tridentate Ligand^a. Inorg. Chim. Acta, 9, 49 (1974)
- 173) C. A. GHILARDI, L. SACCONI. Hydridotris(2-Diphenylphosphinoethyl) aminecobalt(I), C₄₂H₄₃CoNP. Cryst. Struct. Comm., 3, 415 (1974)
- 174) L. SACCONI, C. MEALLI, D. GATTESCHI. Synthesis and Characterization of 1,8-Naphthyridine Complexes of 1.5-Valent Nickel. Inorg. Chem., 13, 1985 (1974)

- 175) P. STOPPIONI, F. MANI, L. SACCONI. Halo-, Hydrido- and Dinitrogen-complexes of Iron(II) with Tertiary Phosphines. Inorg. Chim. Acta, 11, 227 (1974)
- 176) A. DEI, D. GATTESCHI, L. SACCONI. 106/Enthalpies of formation of Five-Coordinate High-Spin Tetrakis-(Methyldiphenylarsine Oxide) Diperchlorate 3d Metal Complexes. Gazzetta Chim. Ital., 104 (1974)
- 177) P. DAPPORTO, G. FALLANI, L. SACCONI. Description of a Monovalent Nickel Complex. Crystal and Molecular Structure of Iodo [1,1,1-tris(diphenylphosphinomethyl)]ethane nickel(I). Inorg. Chem., 13, 2847 (1974)
- 178) L. SACCONI, A. ORLANDINI, S. MIDOLLINI. Synthesis, Properties, and Structural Characterization of non-stoichiometric Hydrido Complexes of Nickel with the Tetradentate Ligand Tris(2-diphenylphosphinoethyl)amine. Inorg. Chem., 13, 2850 (1974)
- 179) C. A. GHILARDI, L. SACCONI. Hydridotris(2-diphenylphosphinoethyl) phosphinecobalt(I), $C_{42}H_{43}CoP_4$. Cryst. Struct. Comm., 4, 149 (1975)
- 180) A. ORLANDINI, L. SACCONI. Hydridotris(2-diphenylphosphinophenyl) phosphinecobalt(I), $C_{54}H_{46}CoP_4$. Cryst. Struct. Comm., 4, 107 (1975)
- 181) A. ORLANDINI, L. SACCONI. Hydridotris(2-diphenylphosphinoethyl) phosphinecobalt(II) Tetrafluoroborate, $C_{42}H_{43}BCoF_4P_4$. Cryst. Struct. Comm., 4, 157 (1975)
- 182) M. DI VAIRA, L. SACCONI. Crystal and Molecular Structure of the Low-Spin Five-co-ordinate Complex Chloro [tris-(2-diphenylphosphinoethyl)amine] nickel(II) Hexafluorophosphate. J. Chem. Soc., (Dalton), 493 (1975)

- 183) F. MANI, P. STOPPIONI, L. SACCONI. Synthesis and Characterization of Chromium(II) Complexes of Tris-(2-Diphenylphosphinoethyl) phosphine and o-Phenylenebis(dimethylarsine). J. Chem. Soc., (Dalton), 461 (1975)
- 184) L. SACCONI, C. A. GHILARDI, C. MEALLI, F. ZANOBINI. Synthesis, Properties and Structural Characterization of Complex of Cobalt and Nickel in Low Oxidation States with the Tripod Ligand Tris(2-diphenylphosphinoethyl)amine. Inorg. Chem., 14, 1380 (1975)
- 185) P. DAPPORTO, S. MIDOLLINI, L. SACCONI. Synthesis, Characterization, and X-Ray Structure of Confacial-Bioctahedral Iron(II)- and Cobalt(II)-Hydrido Complexes with Tridentate Tripod Ligands Containing Phosphorus and Arsenic as the Donor Atoms. Inorg. Chem., 14, 1643 (1975)
- 186) C. A. GHILARDI, S. MIDOLLINI, L. SACCONI. Reactions of the Tripod Ligand Tris(2-diphenylphosphinoethyl)phosphine with Cobalt(II) and Nickel(II) Salts and Sodium Borohydride. Structural Characterization of a Five-Coordinate Cobalt(I) Hydride Complex. Inorg. Chem., 14, 1790 (1975).
- 187) C. MEALLI, S. MIDOLLINI, L. SACCONI. Preparation and X-Ray Structure of a Dimeric Diamagnetic Complex of Nickel(II) with Distorted Tetrahedral Co-ordination. Chem. Comm., 765 (1975)
- 188) L. SACCONI, P. DAPPORTO, P. STOPPIONI. Synthesis, Characterization, and X-Ray Structure of a Tetra-hydrofuran Adduct of -Iodo-bis tris(2-diphenylarsinoethyl)amine nickel(I) Tetraphenylborate. J. Am. Chem. Soc., 97, 5595 (1975).
- 189) C. A. GHILARDI, L. SACCONI. Dinitrosyl Bis(2-Diphenylphosphinoethyl)2-Diphenylphosphine Oxideethyl Aminocobalt Tetraphenylborate, $C_{66}H_{62}BCon_3O_3P_3$. Cryst. Struct. Comm., 4, 687 (1975)

- 190) M. DI VAIRA, A. TARLI, P. STOPPIONI, L. SACCONI. Nitrosyltris (2-Diphenylphosphinoethyl)Phosphine Iron Tetraphenylborate $C_{66}H_{62}BFenOP_4$. Cryst. Struct. Comm., 4, 653 (1975)
- 191) C. MEALLI, S. MIDOLLINI, L. SACCONI. Synthesis and Structure of Some Cobalt(II) Complexes with the Tridentate Ligand 1,1,1-Tris(Diphenylphosphinomethyl)ethane. Inorg. Chem., 14, 2513 (1975)
- 192) M. DI VAIRA, S. MIDOLLINI, L. SACCONI. Thiolo(2-diphenylphosphinoethyl)phosphinenickel(II) Tetraphenylborate, $C_{66}H_{63}BNiP_4S$. Cryst. Struct. Comm., 5, 117 (1976)
- 193) P. DAPPORTO, S. MIDOLLINI, A. ORLANDINI, L. SACCONI. Tetrahydro-borate 1,1,1-Tris(diphenylphosphinomethyl)ethane Cobalt(I) (A) $C_4H_4BCoP_3$ Sulphur Dioxide 1,1,1-Tris(diphenylphosphinomethyl)ethane nickel(0) (B) $C_{41}H_{39}NiO_2P_3S$. Cryst. Struct. Comm., 5, 163 (1976)
- 194) L. SACCONI, P. DAPPORTO, P. STOPPIONI. Synthesis and Properties of Cobalt and Nickel Complexes with the Tripod Ligand Tris(2-diphenylarsinoethyl)amine. Structural Characterization of a Phenyl Complex of Nickel(II) with the same Ligand. Inorg. Chem. 15, 325 (1976)
- 195) A. ORLANDINI, L. SACCONI. Synthesis, Properties and X-Ray Characterization of Aquo and Hydroxo Complexes of Cobalt(II) and Nickel(II) with Poly(tertiary phosphines). Inorg. Chem., 15, 78 (1976).
- 196) A. ORLANDINI, L. SACCONI. Synthesis, Properties and X-Ray Characterization of Cobalt(I) Complexes with the Tripod Ligand Tris(o-diphenylphosphinophenyl)phosphine. Inorg. Chim. Acta 19, 61 (1976).

- 197) M. DI VAIRA, C.A. GHILARDI, L. SACCONI. Synthesis and Structural Characterization of Some Nitrosyl Complexes of Iron, Cobalt, and Nickel with Poly(tertiary phosphines and arsines). Inorg. Chem., 15, 1555 (1976).
- 198) L. SACCONI, P. DAPPORTO, P. STOPPIONI. Insertion of Carbon Monoxide into a Nickel-Carbon Bond. X-Ray Structure of Tris(2-Diphenylphosphinoethyl)amine-Nickel Acetyl Tetraphenylborate. J. of Organomet. Chem., 116, C33 (1976)
- 199) L. SACCONI. 3d Fémek Tripod Ligandumokkal Képzett Komplexei. Kémiai Közlemények 45, p. 281-291 (1976)..
- 200) P. DAPPORTO, L. SACCONI, P. STOPPIONI. Sintesi e caratterizzazione roentgenografica di alchil complessi pentacoordinati di nichel(II) con fosfine ed arsine terziarie. Accademia Nazionale Lincei, Serie VIII, Vol. LX, fasc.5 (1976).
- 201) D. GATTESCHI, C. MEALLI and L. SACCONI. Synthesis and Characterization of the Mixed-Valence Copper Complex Trichlorobis(4-methyl-1,8-naphthyridine) dicopper. Inorg. Chem., 15, 2774 (1976).
- 202) C.A. GHILARDI, A. SABATINI, and L. SACCONI. Structural Investigation of Two Carbonyl Complexes of Cobalt(I) and Nickel(0) with the Ligand Tris(2-diphenylphosphinoethyl)amine. Inorg. Chem., 15, 2763 (1976).
- 203) P. DAPPORTO, S. MIDOLLINI, A. ORLANDINI, and L. SACCONI. Complex of Cobalt, Nickel, and Copper with the Tripod Ligand 1,1,1-Tris(diphenylphosphinoethyl)ethane (p_3). Crystal Structures of the $[Co(p_3)(BH_4)]$ and $[Ni(p_3)(SO_2)]$ Complexes. Inorg. Chem., 15, 2768 (1976).