

- 73) L. SACCONI. Cromatografia di adsorbimento nella Chimica Inorganica. Roma, Acc. Lincei, 17-27 sett. (1963)
- 74) A. SABATINI, L. SACCONI. Far-Infrared Spectra of Some Tetra-chloro Metal(II) Complexes. Ricerca sci., 33(II-A), 755 (1963)
- 75) L. SACCONI, A. SABATINI. The Infra-red Spectra of Metal(II)-Hydrazine, complexes. J. Inorg. Nucl. Chem., 25, 1389 (1963).
- 76) L. SACCONI, M. CIAMPOLINI. Pseudo tetrahedral Structure of Some  $\alpha$ -Branched Copper(II) Chelates with Schiff Bases. J. Chem. Soc., 276 (1964)
- 77) E. FRASSON, C. PANATTONI, L. SACCONI. X-ray Studies of the Bis-N-alkyl-salicylaldimimates of Bivalent Metals. II. Structure of Bis-n-ethylsalicylaldimines-palladium. Acta Cryst., 17, 85 (1964)
- 78) A. SABATINI, L. SACCONI. Far-Infrared Spectra of Some Tetrhalo Complexes. J. Am. Chem. Soc., 86, 17. (1964)
- 79) L. SACCONI, M. CIAMPOLINI, N. NARDI. Investigation on the Occurrence of Tetrahedral Forms of Substituted Bis(N-alkylsalicylaldimino)nickel(II) Complexes. J. Am. Chem. Soc., 86, 819 (1964)
- 80) E. FRASSON, C. PANATTONI; L. SACCONI. X-Ray Studies of the Bis-N-alkylsalicylaldimimates of Bivalent Metals. III. Structure of Bis-N-butylsalicylaldimine-palladium. Acta Cryst., 17, 477 (1964)
- 81) L. SACCONI. Tetrahedral coordination in Nickel(II) and Copper(II) Chelates with Schiff Bases, in: Essays in Coordination Chemistry Exper. Suppl., IX, 148 (1964)
- 82) M. R. FOX, P. L. ORIOLI, E. C. LINGAFELTER, L. SACCONI. The Crystal Structure of Bis-(N-isopropyl-salicylaldiminato)Nickel(II). Acta Cryst., 17, 1159 (1964)

- 83) L. SACCONI, P. PAOLETTI, M. CIAMPOLINI. Thermochemical Studies. XII. Heats and Entropies of Reaction of Transition Metal Ions with NNN'N'-tetra-(2-aminoethyl)-ethylenediamine. J. Chem. Soc., 5046 (1964)
- 84) L. SACCONI, A. SABATINI, P. GANS. Infrared Spectra from 80 to  $2000\text{ cm}^{-1}$  of Some Metal-Amine Complexes. Inorg. Chem., 3, 1772 (1964).
- 85) A. SABATINI, L. SACCONI, V. SCHETTINO. Far-Infrared Spectra and Vibrational Force Constants of the Ions  $\text{AuCl}_4^-$ ,  $\text{AuBr}_4^-$  and  $\text{PtCl}_4^{2-}$ . Inorg. Chem., 3, 1775 (1964).
- 86) L. SACCONI, M. CIAMPOLINI, U. CAMPIGLI. Magnetic Investigation of Some Tetracoordinated Nickel(II) and Copper(II) Complexes between 80 and  $300^\circ\text{K}$ . Inorg. Chem., 4, 407 (1965)
- 87) P. L. ORIOLI, M. DI VAIRA, L. SACCONI. Five Co-ordination in Complexes of Manganese(II), Cobalt(II) and Zinc(II) with N-Methylsalicylaldimine. Chem. Comm., 103 (1965)
- 88) L. SACCONI, P. L. ORIOLI, M. DI VAIRA. The structure of Nickel(II) and Cobalt(II) with N-Diethylamineethyl-5-chlorosalicylaldimine. J. Am. Chem. Soc., 87, 2059 (1965)
- 89) L. SACCONI, P. NANNELLI, U. CAMPIGLI. Complexes of Nickel(II) with Schiff Bases Formed from Salicylaldehydes and N-Substituted Ethylenediamine. I. Inorg. Chem., 4, 818, (1965)
- 90) L. SACCONI, P. NANNELLI, N. NARDI, U. CAMPIGLI. Five-coordination in some Complexes of Nickel(II) with Schiff Bases, formed from Salicylaldehydes and N,N-Substituted Ethylenediamines. II. Inorg. Chem., 4, 943 (1965)

- (91) L. Sacconi, M. Ciampolini, G.P. Speroni. High-Spin Hexa-, Penta-, and Tetracoordinated Complexes of Cobalt(II) with Schiff Bases Formed from Salicylaldehydes and N,N-Substituted Ethylenediamines, *Inorg. Chem.*, 4, 1116 (1965).
- (92) L. Sacconi, M. Ciampolini, G.P. Speroni. Structure Mimicry in Solid Solutions of 3d Metal Complexes with N-Methylsalicylaldimine (Msal-Me), *J. Am. Chem. Soc.*, 87, 3102 (1965).
- (93) P.L. Orioli and L. Sacconi. Crystal and Molecular Structure of Bis(N-isopropylsalicylaldiminato)copper(II), *J. Am. Chem. Soc.*, 88, 277 (1966).
- (94) P. Nannelli and L. Sacconi. Action of Hydrochloric and Hydrobromic Acids on Nickel(II) Complexes with N-Substituted Salicylideneethylenediamines, *Inorg. Chem.*, 5, 246 (1966).
- (95) L. Sacconi and I. Bertini. Nickel(II) Complexes with N,N'-Tetramethylalkylenediamines, *Inorg. Nucl. Chem. Letters*, 2, 29 (1966).
- (96) P.L. Orioli, M. Di Vaira and L. Sacconi. Five-Coordinated Structure of Bis(N-methylsalicylaldiminato)zinc(II); Isomorphism with the Cobalt(II) and Manganese(II) Analogs, *Inorg. Chem.*, 5, 400 (1966).
- (97) L. Sacconi and U. Campigli. Normal and Mixed-Ligand Chelates of Vanadyl(IV) with Schiff Bases, *Inorg. Chem.*, 5, 606 (1966).
- (98) L. Sacconi. III Nature of the Chemical Bond; Structural Properties. Tetrahedral Complexes of Nickel(II) and Copper(II) with Schiff Bases, *Coord. Chem. Rev.*, 1, 126 (1966).
- (99) L. Sacconi. Four-, Five- and Six-Coordinated Complexes of 3d Metals with Substituted Salicylaldimines, *Coord. Chem. Rev.*, 1, 192 (1966).
- (100) J.D. Thwaites and L. Sacconi. Protons Resonance Studies of the Solution Equilibria of Nickel(II) Complexes with Schiff Bases Formed from Salicylaldehydes and N,N-Substituted Ethylenediamines, I., *Inorg. Chem.*, 5, 1029 (1966).

- 101) J. D. THWAITES, I. BERTINI, L. SACCONI. Protons Resonance Studies of the Solution Equilibria of Nickel(II) with Schiff Bases Formed from Salicylaldehydes and N,N-Substituted Ethylenediamines. II. Inorg. Chem., 5, 1036 (1966)
- 102) P. GANS, A. SABATINI, L. SACCONI. Infrared Spectra and Bonding in Metal-Nitrosyl Complexes. Coord. Chem. Rev., 1, 187 (1966)
- 103) P. L. ORIOLI, M. DI VAIRA, L. SACCONI. The Structure of a New High-Spin Five-Co-ordinated Nickel(II) Complex. Chem. Comm., 300 (1966).
- 104) L. SACCONI, I. BERTINI. Complexes of Copper(II) with Schiff Bases Formed from Salicylaldehydes and N-Substituted Ethylenediamines. Inorg. Chem., 5, 1520 (1966).
- 105) P. L. ORIOLI, M. DI VAIRA, L. SACCONI. Crystal and Molecular Structure of the Five-Coordinated Nickel(II) Complex with N- $\beta$ -Diethylaminoethyl-5-chlorosalicylaldimine. J. Am. Chem. Soc., 88, 4383 (1966)
- 106) P. GANS, A. SABATINI, L. SACCONI. Infrared Spectra and Bonding in Transition Metal Nitrosyl Complexes. Inorg. Chem., 5, 1877 (1966).
- 107) L. SACCONI, I. BERTINI. High-Spin Five-coordinated 3d Metal Complexes with Pentadentate Schiff Bases. J. Am. Chem. Soc., 88, 5180 (1966)
- 108) L. SACCONI, N. NARDI, F. ZANOBINI. Complexes of Nickel(II) with Schiff Bases Formed from Salicylaldehydes and N-substituted Trimethylenediamines. Inorg. Chem., 5, 1872 (1966)

- 109) L. SACCONI, I. BERTINI, F. MANI. Metal Complexes of N,N,N',N'-Tetramethyldiamines. I. Nickel(II) and Cobalt(II) Complexes. Inorg. Chem., 6, 262 (1967)
- 110) G. N. LA MAR, L. SACCONI. Proton Magnetic Resonance Studies of High-Spin Nickel(II) Complexes with Pentadentate Schiff Base. J. Am. Chem. Soc., 89, 2282 (1967)
- 111) L. SACCONI, I. BERTINI. Five-coordinate Nickel(II) Complexes with nitrogen-phosphorus and Nitrogen-Arsenic Tetradeятate Ligands. J. Am. Chem. Soc., 89, 2235 (1967)
- 112) L. SACCONI, I. BERTINI, R. MORASSI. High-Spin Five-coordinated Nickel(II) and Cobalt(II) Complexes with a Tridentate NNN Schiff Base. Inorg. Chem., 6, 1548 (1967)
- 113) L. SACCONI, P. L. ORIOLI, M. DI VAIRA. High-Spin Five-Co-ordinate Nickel(II) Complexes with Salicylaldimine-Catechol Mixed Ligands. Chem. Comm., 849 (1967)
- 114) L. SACCONI, J. GELSONINI. Tetraphenyldiphosphine Complexes of Nickel(II) and Cobalt(II). Inorg. Chem., 7, 291 (1968)
- 115) L. SACCONI, G. P. SPERONI. High-Spin Four- and Five-Coordinate Cobalt(II) and Nickel(II), Complexes with a Tridentate SNN Schiff Base. Inorg. Chem., 7, 295 (1968)
- 116) G. ZAKRZEWSKI, L. SACCONI. Four-, Five-, and Six-Coordinated Nickel(II) and Cobalt(II) Complexes of Schiff Bases Derived from Pyridine-2-carbonaldehyde and N,N-Substituted Ethylenediamines. Inorg. Chem., 7, 1034 (1968)
- 117) L. SACCONI, I. BERTINI. Four- and Five-coordinated Complexes of Cobalt(II) and Nickel(II) with Tridentate Schiff Bases. Inorg. Chem., 7, 1178 (1968)

- 118) L. SACCONI, R. MORASSI, S. MIDOLLINI. High-Spin Five-Co-ordinate Nickel(II) and Cobalt(II) Complexes with 2,6-Diacetylpyridine-bis(imines). J. Chem. Soc. A, 1510 (1968)
- 119) L. SACCONI, I. BERTINI, F. MANI. Five-Coordination with "Hybrid" Ligands. II. Nickel(II) Complexes with Polyfunctional Arsenic-Containing Ligands. Inorg. Chem., 7, 1417 (1968)
- 120) L. SACCONI, G. P. SPERONI, R. MORASSI. Five-Coordination with "Hybrid" Ligands. III. High- and Low-Spin Five-Coordinate Nickel(II) Complexes with Ligands Containing Oxygen, Sulfur, Nitrogen, Phosphorus, and Arsenic Donor Atoms. Inorg. Chem., 7, 1521 (1968)
- 121) L. SACCONI, R. MORASSI. High- and Low-Spin Five-Coordinate Cobalt (II) and Nickel(II) Complexes with "Hybrid" Tetradentate Ligands Containing N, S, P, and As Donor Atoms. Inorg. Nucl. Chem. Letters, 4, 449 (1968)
- 122) P. L. ORIOLI, L. SACCONI. The Crystal and Molecular Structure of Bis-(2-diphenylphosphinoethyl)aminenickel(II) Dibromide. Chem. Comm., 1310 (1968)
- 123) L. SACCONI, I. BERTINI. Low- and High-Spin Five-Coordinate Cobalt(II) and Nickel(II) Complexes with Tris(2-diphenylphosphinoethyl)amine ( $\text{NP}_3$ ). J. Am. Chem. Soc., 90, 5443 (1968)
- 124) L. SACCONI, R. MORASSI. Five-Co-ordination with "Hybrid" Ligands. Pat IV. Cobalt(II) and Nickel(II) Complexes with Terdentate Ligands containing Phosphorus and Nitrogen or Sulphur as Donor Atoms. J. Chem. Soc. A, 2997 (1968)
- 125) G. N. LA MAR and L. SACCONI. The Influence of Halogen, Substituent and Solvent on Spin Delocalization in High-Spin, Five-coordinated 2,6-Diacetylpiridinebis(N-alkylimine)nickel Dihalides. J. Am. Chem. Soc., 90, 7216 (1968)

- 126) L. SACCONI. Electronic Structure and Stereochemistry on Nickel(II). "Transition Metal Chemistry", R.L. Carlin Ed., 4, 199 (1968).
- 127) L. SACCONI. Five-Coordination in 3d Metal Complexes. Plenary Lecture of X. ICCC, Tokyo, 1967, Pure Appl. Chem., 17, 95 (1968).
- 128) M. DI VAIRA and L. SACCONI. The Crystal and Molecular Structure of the Five-Co-ordinate Complex Di-Isothiocyanato-[NN-bis-(2-diethylaminoethyl)2-diphenylarsinoethylamine]-nickel(II). Chem. Comm., 10 (1969).
- 129) P. DAPPORTO, M. DI VAIRA and L. SACCONI. The Crystal and Molecular Structure of the Five-Co-ordinated Complex of Cobalt(II) Isothiocyanate with the Ligand Bis-NN-2-diethyl-laminoethyl-2-methylthioethylamine. Chem. Comm., 153 (1969).
- 130) P. DAPPORTO and L. SACCONI. The Crystal and Molecular Structure of the Five-Coordinate Complex of Nickel(II) Perchlorate with the Ligand NN-Bis-(2-diethylaminoethyl)2-hydroxyethylamine. Chem. Comm., 329 (1969).
- 131) P. L. ORIOLI and L. SACCONI. Square Pyramidal Structure of a Five-Co-ordinate Cobalt(II) Complex with the Tripod Ligand Tris-(2-diphenylphosphinoethyl)amine. Chem. Comm., 1012 (1969).
- 132) P. DAPPORTO and L. SACCONI. Trigonal Symmetry of the Five-Co-ordinate Complex of Nickel(II) Iodide with the Tripod Ligand Tris-(2-diphenylphosphinoethyl)amine. Chem. Comm., 1091 (1969).
- 133) L. SACCONI and R. MORASSI. Five-Co-ordination with 'Hybrid' Ligands. Part V. Cobalt(II) and Nickel(II) Complexes with Tetradentate Ligands containing Nitrogen and Phosphorus or Arsenic as Donor Atoms. J. Chem. Soc., A, 2904 (1969).

- 134) L. SACCONI. Some Factors governing the Spin-multiplicity of Five-co-ordinate Complexes of Cobalt(II) and Nickel(II). J. Chem. Soc., A, 248 (1970).
- 135) L. SACCONI and R. MORASSI. Four-, Five-, and Six-Co-ordinate Cobalt(II) and Nickel(II) Complexes with Tetradentate 'Tripod-Like' Nitrogen-Oxygen and Nitrogen-Sulphur Ligands. J. Chem. Soc. A, 575 (1970).
- 136) P. DAPPORTO and L. SACCONI. Five-Co-ordination in Nickel(II) Complexes. Crystal Structure of the High-Spin Complex of Nickel(II) Perchlorate with NN-Bis(2-diethylaminoethyl)-2-hydroxyethylamine. J. Chem. Soc., A, 618 (1970).
- 137) P. T. GREENE and L. SACCONI. Crystal and Molecular Structure of the Tetrahedrally Co-ordinated Complex Dichloro-Oxydiethylenebis(diphenylphosphine)nickel(II). J. Chem. Soc., A, 866 (1970).
- 138) P. DAPPORTO, R. MORASSI and L. SACCONI. Spectral Properties and Crystal Structure of the Complex Iodo-NN-bis(2-diphenylphosphinoethyl)-2-methoxyethylamino nickel(II) Iodide. J. Chem. Soc. A, 1298 (1970).
- 139) P. DAPPORTO and L. SACCONI. Crystal and Molecular Structure of the Low-Spin Five-Co-ordinate Complex Iodo tris-(2-diphenylphosphinoethyl)amino-NP -nickel(II) Iodide. J. Chem. Soc., A, 1804 (1970).
- 140) L. SACCONI and P. DAPPORTO. Spectra and Structure of a Tetrahedrally Distorted Low-spin Nickel(II) Complex with  $P_2I_2$  as the Donor Set. J. Am. Chem. Soc., 92, 4133 (1970).